

Screwless wallplates

Catalog#	Prepared by
Project	Date
Comments	Type

Overview

The screwless wallplate is a system accessory for Greengate wall box devices. The wallplate fits a standard decorator opening or toggle opening and provides a contemporary, sleek design.

Features

- Screwless Wallplates clip easily into place with gentle pressure
- Virtually unbreakable polycarbonate construction
- Mid-sized to cover wall imperfections and large wallboard openings
- Available in multi-gang configurations
- Available in a variety of colors
- Meets flammability requirements per UL 94, V2 rated

Clearly marked top edges makes mounting plate easy to orient and attach



Screwless wallplates clip easily into place with gentle pressure and no visible screws



Powering Business Worldwide

Specifications

Construction	Polycarbonate
Environmental	Flammability: Meets UL 94 requirements; wallplates V2 rated
Operating Environment	Temperature: -40°F to 149°F (-40°C to 65°C)
Size	Decorator Opening Dimensions: 2.64" H x 1.31" W (67.1mm x 33.3mm) Toggle Opening Dimensions: 1" H x 0.5" W (25.4mm x 12.7mm)
Wallplate Dimensions	1-Gang: 4.88" H x 3.13" W (123.8mm x 79.4mm) 2-Gang: 4.88" H x 4.95" W (123.8mm x 125.4mm) 3-Gang: 4.88" H x 6.76" W (123.8mm x 171.4mm) 4-Gang: 4.88" H x 8.57" W (123.8mm x 217.5mm) 5-Gang: 4.88" H x 10.38" W (123.8mm x 263.5mm) 6-Gang: 4.88" H x 12.19" W (123.8mm x 309.5mm)


Description

Screwless wallplates appear to float freely on the surface of the wall and are designed for easy and fast installation. Mounting plate attaches to the device and the wallplate is simply pressed into place.

Installation


This system accessory will require wall mounting at the site.

Dimensions



Decorator Wallplates can be used with:

Occupancy and Vacancy sensors, GDS, GMDS, Automatic Turn-Off switches and 0-10V slide dimmers



Toggle Wallplates can be used with:

Momentary toggle switches, Automatic Turn-Off switches

Ordering

Decorator Wallplates

Catalog #	Description
1-Gang	
PJS26W	White, Single Gang, Screwless Wallplate
PJS26V	Ivory, Single Gang, Screwless Wallplate
PJS26GY	Gray, Single Gang, Screwless Wallplate
PJS26BK	Black, Single Gang, Screwless Wallplate
2-Gang	
PJS262W	White, Two Gang, Screwless Wallplate
PJS262V	Ivory, Two Gang, Screwless Wallplate
PJS262BK	Black, Two Gang, Screwless Wallplate
3-Gang	
PJS263W	White, Three Gang, Screwless Wallplate
PJS263V	Ivory, Three Gang, Screwless Wallplate
PJS263BK	Black, Three Gang, Screwless Wallplate
4-Gang	
PJS264W	White, Four Gang, Screwless Wallplate
PJS264V	Ivory, Four Gang, Screwless Wallplate
PJS264BK	Black, Four Gang, Screwless Wallplate
5-Gang	
PJS265W	White, Five Gang, Screwless Wallplate
PJS265V	Ivory, Five Gang, Screwless Wallplate
PJS265BK	Black, Five Gang, Screwless Wallplate
6-Gang	
PJS266W	White, Six Gang, Screwless Wallplate
PJS266V	Ivory, Six Gang, Screwless Wallplate
PJS266BK	Black, Six Gang, Screwless Wallplate

Toggle Wallplates

Catalog #	Description
1-Gang	
PJS1W	White, Single Gang, Screwless Wallplate
PJS1V	Ivory, Single Gang, Screwless Wallplate
2-Gang	
PJS2W	White, Two Gang, Screwless Wallplate
PJS2V	Ivory, Two Gang, Screwless Wallplate
3-Gang	
PJS3W	White, Three Gang, Screwless Wallplate
PJS3V	Ivory, Three Gang, Screwless Wallplate
4-Gang	
PJS4W	White, Four Gang, Screwless Wallplate
PJS4V	Ivory, Four Gang, Screwless Wallplate

Eaton
 1000 Eaton Boulevard
 Cleveland, OH 44122
 United States
 Eaton.com

Eaton
 Lighting systems – Controls products
 203 Cooper Circle
 Peachtree City, GA 30269
www.eaton.com/lightingsystems

© 2015 Eaton
 All Rights Reserved
 Printed in USA
 Publication No. TD503016EN
 June 15, 2015

Eaton is a registered trademark.

All other trademarks are property
 of their respective owners.